## **RWS300 SERIES**

### AC/DC Power Supply Single Output: 300 Watts







#### **Features**

- Universal input 85 265VAC
- 300 watts output power (1U low profile )
- · Output voltage adjustment
- Short circuit and OVP protection
- Harmonic correction EN61000-3-2
- Power Factor 0.95
- EMC EN55022-B, Immunity to EN61000-4
- · Remote ON / OFF option
- International safety approvals EN60950, UL60950

### **Specifications**

Input Voltage 85 ~ 265VAC ( 300VAC 5 secs )

Input Freq. $47 \sim 63$ HzInput Current3.8A / 2.1APower FactorTypically 0.95HarmonicsEN61000-3-2

Leakage Current 700µA max., typically 175µA at 115VAC

Output Power 300 watts

**Efficiency** 85 / 88% at 115 / 230VAC

Output Voltage See table

Ripple & Noise Model dependent:  $150 \sim 240 \, \text{mV} (5 \, \text{V} \sim 48 \, \text{V})$ Line Regulation Model dependent:  $40 \sim 96 \, \text{mV} (5 \, \text{V} \sim 48 \, \text{V})$ Load Regulation Model dependent:  $40 \sim 380 \, \text{mV} (5 \, \text{V} \sim 48 \, \text{V})$ 

Temp Coefficient 0.02% per °C

Overload >105% Constant current limiting.
Protection With hiccup protection & auto recovery.

Overvoltage OVP will shutdown unit. Recycle AC power Protection after 30 seconds to restart.

Hold-Up time Typically 20ms

Remote Sense N / A
Parallel N / A
Operation

Operation

Operating Temp. -10°C to +70°C @ 100% load, +70°C @ 20%

load

**Humidity**  $10 \sim 90\%$  RH no dewdrop **Cooling** Forced air by internal fan

Input – Output / Case: 3000VAC / 2000VAC

Output - Case: 500VAC

**Safety** Approvals: UL60950, EN60950-1, EN50178

**EMI** EN55011 / EN55022 – B

**Immunity** EN61000-4-2, -3, -4, -5, -6, -8, -11.

**Dimensions** 102 x 41 x 190mm 1Kg

(Includes terminals)

#### **Description**

The **RWS300** series power supplies are new generation low cost design, aimed at industrial applications.

The wide output voltage adjustment and Constant Current limiting, provides design flexibility for a wide range of applications.

Model	Output		Voltage	Power
	V	Α	Range	W
RWS300B-5	5V	50A	4.5 ~ 5.75V	250W
RWS300B-12	12V	25A	10.8 ~13.8V	300W
RWS300B-15	15V	20A	13.5 ~17.0V	300W
RWS300B-24	24V	12.5A	22~ 27.6V	300W
RWS300B-36	36V	8.4A	32 ~ 41.4V	300W
RWS300B-48	48V	6.3A	43 ~ 52.8V	300W

# **RWS300 SERIES**

AC/DC Power Supply Single Output: 300 Watts



